CECILWARE®
Since 1911

2009 Price List
Beverage Equipment

Visit

www.cecilware.com

For The Latest Information On New Products, Parts, & Downloads. Web Ordering Coming Soon!

NEW PRODUCTS

See Index On The Back For Details
Also Available Foodservice Equipment 2009 Price List

AutoQuotes ***We're Listed On AutoQuotes***

Cecilware Corporation 43-05 20th. Avenue, LIC NY 11105
Tel: 800.935.2211 / 718.932.1414 • Fax: 718.932.7860

CECILWARE®
Since 1911
www.cecilware.com

NR54A (11/08)

Series Description

- **Budget K** – Designed to service low to medium volume locations using minimal counter space.
- **Compact & Compact Whipper** – Don't let a lack of counter space prevent you from offering hot beverages & cappuccino. This series of moderate volume dispensers provides new opportunities to capitalize on the growing demand for specialty hot beverages.
- **Destination** – Turn your coffee island into a destination for cappuccino! Dispense up to 12 flavors of Cappuccino with this series.
- **Europa** – Attractive contemporary design with large back lit display, draws customers to this dispenser.
- **Feature Flavor & Whipper** – Cecilware's original, high volume dispenser allows you to double up on popular flavors. With extra large product hoppers, you can sell more beverages and refill hoppers less often.
- **Iced Cappuccino** – These models are specifically designed for the unique characteristics of cold cappuccino products.
- **IT & Vista IT** – Cecilware dispensers with the IT2 microprocessor provide total operating control. With IT2 there's no need to rely on blinking lights to set up or change the dispenser settings.
- **Low Profile** – For those "Spacially" challenged locations, only 28½" in height.
- **Mini Whipper** – Limited counter space? – No Problem! Basic hot chocolate dispenser for low volume locations.
- **Multi-Flavor** – Requiring only 14" of countertop space, the new Multi-Flavor dispenser offers 12 delicious hot beverages. Dispense Espresso, Cappuccino, & Latte all from one machine!
- **Panorama & Vista** – Sleek, curvy, & attracts attention, these models combine Cecilware's newest contemporary design with the industries leading features. Vista available in 3, 4 and 5 flavors; Panorama in 6 and 8 flavors.
- **Pour-Over** – A completely versatile dispenser designed to fully operate as automatic, pour-over, or with bottled water (3 or 6 gallon bottle).
- **Ski, Ski Whipper, & Super Ski** – Designed for use in extremely heavy volume locations: Ski Resorts, Sports Bars, Airports, Stadiums, & Casinos.

Vertical Lift Door

Triple Portion Control

Standard Features Included On All Dispensers*

- **Fast Flow** – Dispenses beverages 30% faster, reducing wear & tear on major dispenser components.
- **Vacuum Steam Removal System VSRS** – Ensures the powdered mix remains dry to eliminate clogging, caking and bridging.
- **Moisture & Powder Collection Tray** – Prevents excess moisture & product powder from reaching the vacuum motor.
- **Direct Drive Auger System** – Ensures perfect hopper alignment & "silent running".
- **Power Whip** – Carefully whips the product into a delicious, creamy drink.
- **Self Cleaning** – Rinse system is touch button easy & rinses the entire whipper chamber with hot water at the end of each cycle.
- **Quick Change Transparency** – Simply lift up 2 tabs and pull out the graphic.

* The standard feature set is not available on the Mini Whipper series.

Additional Features Found On Certain Dispensers.

- **Vertical Lift Door** – Hinged on top, provides easy access to the inside of the dispenser.
- **FAST Service** – *Front Access Saves Time*, allows access to major components through the front of the dispenser.
- **Stainless Drip Trays** – Allows for easy cleaning.
- **Easy Bulb Access** – New style screw-in bulb.
- **Slanted Whipper Chamber** – Provides optimal mixing of product & keeps it flowing away from the motor seal.
- **Molded Fascia** – Attractive contemporary design with extra large P.O.S. display, draws customers!
- **Intelligent Technology 2** – Digital dispensers featuring touch pad control & large, two line LCD display. With IT2 you can:
  - View the number of cups dispensed.
  - Set low water temperature lockout.
  - Set for free flow or portion control.
  - View the total ounces dispensed.
  - Set rinse-warning lockout.
  - Set water temperature.
  - Set serving size.
  - Set gram throw.
  - Set rinse time.

Optional Features Available On Certain Dispensers.

- **Portion Control & Triple Portion Control** – Allows an operator to automatically dispense a beverage into 1 (PC) or 3 (3PC) predetermined cup sizes.
- **Smartsense** – Monitors cappuccino powder level, alerts operator when hopper needs to be refilled, shuts off dispense mechanism on empty hopper, & re-engages when hopper is refilled.
- **Hot Water Dispense Button** – Allows an operator to offer soup or tea.
- **Side Panel Graphics Package** – Beautiful color graphics attract attention from all sides of the dispenser.
- **Electrical** – Export electrical configurations available.

Portion Control: Add "PC" suffix & $110 list price for each hopper, available on all series. For Mini Whipper add "AT" suffix & $120 list price. **Triple Portion Control:** Add suffix "3PC" only available on 3 flavor IT machines. **Smartsense:** Add $150 list price for each hopper, not available on IT, Compact/Compact Whipper, & Mini Whipper series. **Hot Water Dispense:** Add "W" before "LD" suffix & $120 list price, available on Space Saver, Feature Flavor, Destination, Panorama, Pour-Over, Ski/Ski Whipper/Super Ski, & Whipper series. **Side Panel Graphics Package:** Available on Vista IT, Vista, Destination, Panorama, add $ 190 list price. **Electrical Options:** 120/240V, 3KW, 15A, or 6KW, 25A, or export voltage 220 available, add 5% for all series.

GB1M-LD

GB2M5.5-LD-IT-A/D-U

3K-GB-LD

GB3M10-LD-IT-A/D-U

GB3E-IT-LD

GB3M210W-LD-U

GB4M-5.5-LD

GB5MV-10-LD

1 Flavor Dispense Model

Model	Series	Hopper # & Cap.	Tank Cap.	Burst Cap.	Dimensions W x D x H	Ship Wt.	List Price
GB1M-LD•	Space Saver	(1) 8 lbs.	2 gal.	42	8½" x 22" x 31½"	65 lbs.	$ 1,360
GB1SKI-LD•	SKI & Super SKI	(1) 14 lbs.	3½ gal.	93	8½" x 22" x 37½"	85 lbs.	1,870

Plumbing: ¼" Water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Finish:** Black. •F.A.S.T. Service: Standard.

2 Flavor Dispense Models

Model	Series	Hopper # & Cap.	Tank Cap.	Burst Cap.	Dimensions W x D x H	Ship Wt.	List Price
GB2LP-LD	Low Profile	(2) 4 lbs.	2 gal.	32	8½" x 20" x 28½"	70 lbs.	$ 1,800
2K-GB-LD•	Budget K	(2) 4 lbs.	2 gal.	42	8½" x 20" x 31½"	70 lbs.	1,900
GB2M5.5-LD•	Space Saver	(2) 5½ lbs.	2 gal.	42	8½" x 22" x 34"	86 lbs.	2,100
GB2M5.5-IT-LD•	IT & Vista IT	(2) 5½ lbs.	2 gal.	42	8½" x 22" x 34"	86 lbs.	2,200
GB2M5.5-LD-IT-A/D-U••	IT & Vista IT	(2) 5½ lbs.	2 gal.	42	8½" x 22" x 34"	86 lbs.	2,200
GB2SKI-LD	SKI & Super SKI	(2) 14 lbs.	8½ gal.	131	14⅛" x 23¼" x 38"	140 lbs.	3,250
GB2 Super SKI**	SKI & Super SKI	(2) 14 lbs.	8½ gal.	150	14⅛" x 24¼" x 40½"	155 lbs.	3,800
GB2 Super SKI-BL-LD	SKI & Super SKI	(2) 14 lbs.	8½ gal.	150	14⅛" x 24¼" x 40½"	155 lbs.	3,600

Plumbing: ¼" Water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Finish:** Black, **stainless steel. **Note:** *IT-A/D-U models feature LCD display with mechanical buttons. Suffix U = vertical lift door. •F.A.S.T. Service: Standard.

3 Flavor Dispense Models

Model	Series	Hopper # & Capacity	Tank Cap.	Burst Cap.	Dimensions W x D x H	Ship Wt.	List Price
GB3LP-LD	Low Profile	(3) 4 lbs.	2¾ gal.	58	11" x 20" x 28½"	75 lbs.	$ 2,250
3K-GB-LD•	Budget K	(3) 4 lbs.	2¾ gal.	53	10" x 20" x 31½"	81 lbs.	2,300
GB3M5.5-LD•	Space Saver	(3) 5½ lbs.	2¾ gal.	62	11" x 22" x 34"	100 lbs.	2,590
GB3M10-LD•	Feature Flavor	(1) 10 lbs. (2) 5 lbs.	3.2 gal.	78	11½" x 22" x 34"	90 lbs.	2,750
GB3M10-IT-LD•••	IT & Vista IT	(1) 10 lbs. (2) 5 lbs.	3.2 gal.	78	11½" x 22" x 34"	90 lbs.	2,850
GB3M10-LD-U•	Feature Flavor	(1) 10 lbs. (2) 5 lbs.	3.2 gal.	78	11½" x 22" x 34"	90 lbs.	2,850
GB3M10-LD-IT-A/D-U••	IT & Vista IT	(1) 10 lbs. (2) 5 lbs.	3.2 gal.	78	11½" x 22" x 34"	90 lbs.	2,850
GB3M210W-LD-U•	Feature Flavor	(2) 10 lbs. (1) 5 lbs.	3.2 gal.	78	14¾" x 22" x 34"	100 lbs.	2,950
GB3MV-310-LD•	Vista	(3) 10 lbs.	6 gal.	98	18" x 22" x 35"	130 lbs.	3,000
GB3MV-310-IT-LD•••	IT & Vista IT	(3) 10 lbs.	6 gal.	98	18" x 22" x 35"	130 lbs.	3,100
GB3P-LD••••	Pour-Over	(3) 5½ lbs.	2½ gal.	50	11" x 22" x 34"	95 lbs.	2,750
GB3E-LD•	Europa	(2) 10 lbs. (1) 5 lbs.	3½ gal.	78	14" x 25" x 37½"	120 lbs.	2,750
GB3E-IT-LD•••	Europa	(2) 10 lbs. (1) 5 lbs.	3½ gal.	78	14" x 25" x 37½"	120 lbs.	2,850

Plumbing: ¼" Water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Finish:** Black. **Note:** *IT-A/D-U models feature LCD display with mechanical buttons. Suffix U = vertical lift door, W = hot water dispense •F.A.S.T. Service: Standard. **For Triple Portion Control add suffix 3PC. ***Contains an additional 2 gal. reservoir. Series name in red indicates digital model.

4 Flavor Dispense Models

Model	Series	Hopper # & Capacity	Tank Cap.	Burst Cap.	Dimensions W x D x H	Ship Wt.	List Price
GB4LP-LD•	Low Profile	(4) 4 lbs.	2¾ gal.	58	14⅛" x 20" x 28½"	100 lbs.	$ 2,800
4K-GB-LD•	Budget K	(4) 4 lbs.	3¾ gal.	78	15⅝" x 20" x 31½"	120 lbs.	2,800
GB4M5.5-LD•	Space Saver	(4) 5½ lbs.	3¾ gal.	78	14⅛" x 22" x 34"	120 lbs.	3,150
GB4M5.5-LD-U•	Space Saver	(4) 5½ lbs.	3¾ gal.	62	14⅛" x 22" x 34"	120 lbs.	3,250
GB4MV-210-LD•	Vista	(2) 10 lbs. (1) 5½ lbs.	6 gal.	98	18" x 22" x 35"	130 lbs.	3,420
GB4MV-210-IT-LD•	IT & Vista IT	(2) 10 lbs. (1) 5½ lbs.	6 gal.	98	18" x 22" x 35"	130 lbs.	3,520

Plumbing: ¼" Water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Finish:** Black. •F.A.S.T. Service: Standard. U = vertical lift door.

5 Flavor Dispense Models

Model	Series	Hopper # & Capacity	Tank Cap.	Burst Cap.	Dimensions W x D x H	Ship Wt.	List Price
5K-GB-LD•	Budget K	(5) 4 lbs.	3¾ gal.	78	15⅝" x 20" x 31½"	125 lbs.	$ 3,300
5K-10-GB-LD•	Budget K	(1) 10 lbs. (4) 5½ lbs.	6 gal.	98	18" x 20" x 34"	130 lbs.	3,500
GB5M10-LD•	Feature Flavor	(1) 10 lbs. (4) 5 lbs.	6 gal.	98	18" x 22" x 34"	130 lbs.	3,800
GB5M210-LD-U•	Feature Flavor	(2) 10 lbs. (3) 5 lbs.	6 gal.	98	20" x 22" x 34"	140 lbs.	4,000
GB5MV-10-LD•	Vista	(1) 10 lbs. (4) 5 lbs.	6 gal.	98	18" x 22" x 35"	130 lbs.	4,000
GB5MV-10-IT-LD•	IT & Vista IT	(1) 10 lbs. (4) 5 lbs.	6 gal.	98	18" x 22" x 35"	130 lbs.	4,100

Plumbing: ¼" Water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Finish:** Black. •F.A.S.T. Service: Standard. U = vertical lift door.

GB6MP-10-LD-U

GB5MF-IT-LD

GB2CP

NEW PRODUCT

3K-GB-NL

NEW PRODUCT

GB3M10-IT-LD-C

6, 8, & 12 Flavor Dispense Models

Model	Series	Hopper # & Capacity	Tank Cap.	Burst Cap.	Dimensions W x D x H	Ship Wt.	List Price
GB6M-10-LD-U•	Destination	(1) 10 lbs. (5) 5 lbs.	6 gal.	98	21½" x 22" x 34"	160 lbs.	$ 4,700
GB6MP-10-LD-U•	Panorama	(1) 10 lbs. (5) 5 lbs.	6 gal.	98	22½" x 22" x 34"	160 lbs.	4,900
GB8M-10-LD-U•	Destination	(1) 10 lbs. (7) 5 lbs.	(2) 4 gal.	(2X) 60	27" x 22" x 34"	180 lbs.	6,900
GB8MP-10-LD-U•	Panorama	(1) 10 lbs. (7) 5 lbs.	(2) 4 gal.	(2X) 60	28" x 22" x 34"	180 lbs.	7,100
GB12M-210-LD-U•	Destination	(2) 10 lbs. (10) 5 lbs.	(2) 4 gal.	(2X) 60	39½" x 22" x 35"	220 lbs.	9,500

Plumbing: ¼" Water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Portion Control:** Add "PC" suffix & $110. **Finish:** Black. **•F.A.S.T. Service:** Standard. **Note:** GB8M10, GB8MP10, & GB12M210 require 2 water lines & 2 separate circuit's. U = vertical lift door.

Multi-Flavor Dispensers Makes 12 Hot Drinks From 5 Ingredients.

Model	Series	Hopper # & Capacity	Tank Cap.	Burst Cap.	Dimensions W x D x H	Ship Wt.	List Price
GB5MF-IT-LD•	Multi-Flavor	(1) 10 lbs. (4) 2 lbs.	3½ gal.	112	14" x 25" x 37½"	120 lbs.	$ 4,000

Plumbing: ¼" Water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Finish:** Black. **•F.A.S.T. Service:** Standard. Series name in red indicates digital model.

Compact Cappuccino Dispensers

Model	Series	Hopper # & Capacity	Tank Cap.	Burst Cap.	Dimensions W x D x H	Ship Wt.	List Price
GB1CP	Compact	(1) 8 lbs.	2 gal.	38	7¾" x 19" x 24"	30 lbs.	$ 1,200
GB2CP	Compact	(2) 4 lbs.	2 gal.	38	7¾" x 19" x 24"	32 lbs.	1,360
GB3CP	Compact	(3) 4 lbs.	2 gal.	38	10" x 19" x 27"	40 lbs.	1,700

Plumbing: ¼" Water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Portion Control:** Add "PC" suffix & $110. **Finish:** Black. **Note:** The above dispensers have non-lit displays.

Non-Lit Budget K Cappuccino Dispensers

Model	Series	Hopper # & Capacity	Tank Cap.	Burst Cap.	Dimensions W x D x H	Ship Wt.	List Price
3K-GB-NL•	Budget K	(3) 4 lbs.	2¾ gal.	53	10" x 20" x 31½"	81 lbs.	$ 2,150
4K-GB-NL•	Budget K	(4) 4 lbs.	3¾ gal.	78	15⅝" x 20" x 31½"	120 lbs.	2,650
5K-GB-NL•	Budget K	(5) 4 lbs.	3¾ gal.	78	15⅝" x 20" x 31½"	125 lbs.	3,150

Plumbing: ¼" Water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Portion Control:** Add "PC" suffix & $110. **Finish:** Black. **•F.A.S.T. Service:** Standard. **Note:** The above dispensers have non-lit displays.

Iced Cappuccino Dispenser Designed For Cold Cappuccino, Just Add Ice!

Model	Series	Hopper # & Capacity	Tank Cap.	Burst Cap.	Dimensions W x D x H	Ship Wt.	List Price
GB3M10-IT-LD-C•	Cold	(1) 10 lbs. (2) 5 lbs.	3.2 gal.	78	11½" x 20" x 34"	90 lbs.	$ 2,850

Plumbing: ¼" Water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Finish:** Black. **•F.A.S.T. Service:** Standard. For Triple Portion Control add suffix 3PC. Series name in red indicates digital model.

JAVACCINO3-IT-3PC

Digital Soluble Coffee/Cappuccino/Espresso Dispensers

Model	Series	Hopper # & Capacity	Tank Cap.	Burst Cap.	Dimensions W x D x H	Ship Wt.	List Price
JAVA2-IT	Soluble	(2) 2 lbs.*	2.2 gal.	42	9" x 22" x 34"	60 lbs.	$ 2,400
JAVACCINO3-IT	Soluble	(1) 2 lbs.* (2) 5½ lbs.**	3.2 gal.	62	11" x 22" x 34"	92 lbs.	2,930
JAVACCINO3-IT-3PC***	Soluble	(1) 2 lbs.* (2) 5½ lbs.**	3.2 gal.	62	11" x 22" x 34"	90 lbs.	2,930
JAVACCINO4-IT	Soluble	(2) 2 lbs.* (2) 5½ lbs.**	4.2 gal.	78	14" x 22" x 34"	110 lbs.	3,500

Plumbing: ¼" Water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. ***Coffee:** 2 & 3 lbs. hoppers are equivalent to 5½ & 8 lbs. cappuccino hoppers. ****Cappuccino** *****Triple Portion Control:** 3PC, dispenses small, medium, & large sizes. **Finish:** Black. Series name in red indicates digital model.

Java Giant 2

Java Jr-PC-HP

High Volume Soluble Coffee Dispensers

Model	Series	Hopper # & Cap.	Tank Cap.	Dimensions W x D x H	Electrical	Ship Wt.	List Price
Java Jr-PC-HP	High Volume	(2) 2 lbs.*	6 gal.	11" x 22" x 33"	208V, 4KW, 19A, 1 P 208V, 8KW, 38A, 1P* 208V, 12KW, 58A, 1P*	90 lbs.	$ 4,300
Java Self Serve	High Volume	(2) 2 lbs.*	3 gal.	11" x 22" x 31"	120V, 1.8KW, 15A, 1P	90 lbs.	4,300
Java Giant 2	High Volume	(2) 5½ lbs.*	8½ gal.	14⅛" x 24¼" x 40½"	230V, 6KW, 26A, 1 P 230V, 9KW, 39A, 1P*	155 lbs.	4,900
Java Giant 3	High Volume	(3) 5½ lbs.*	12 gal.	20⅜" x 24¼" x 40½"	230V, 18KW, 78A, 1P* 230V, 18KW, 45A, 3P*	195 lbs.	5,900

Plumbing: ¼" Water line required. **Electrical:** * Options add $300 to list price. ***Coffee:** 2 & 3 lbs. hoppers are equivalent to 5½ & 8 lbs. cappuccino hoppers. **Finish:** Stainless steel. **Burst Cap.:** Java Jr = 98, Java Self Serve = 62, Java Giant 2 = 150, Java Giant 3 = 225. **Note:** Non-lit door.

Java 2 QB-D3

Decanter/Cup Soluble Coffee Dispensers

Model	Series	Hopper # & Cap.	Tank Cap.	Dimensions W x D x H	Electrical	Ship Wt.	List Price
Java 2 QB-D w/1 Dispense Head	Soluble	(2) 14 oz Coffee	1 gal.	8" x 17" x 21⅞"	120V, 1.7KW, 15A 240V, 3.8KW, 20A	51 lbs.	$ 2,300
Java 2 QB-D1 w/1 Dispense Head	Soluble			8" x 17" x 21⅞"			2,300
Java 2 QB-D2 w/1 Dispense Head	Soluble			8" x 17" x 23⅞"			2,350
Java 2 QB-D3 w/1 Dispense Head	Soluble			8" x 17" x 23⅞"			2,360
Java 2 QB-DC w/2 Dispense Head	Soluble			8" x 17" x 21⅞"	120V, 1.5KW, 15A 240V, 3.5KW, 20A		2,620

Plumbing: ¼" Water line required. **Electrical:** Export voltage 220 available, add 5%. **Finish:** Stainless steel. **Number Of Warmers:** Java 2 QB-D - 0, Java 2 QB-D1 - 1, Java 2 QB-D2 - 2, Java 2 QB-D3 - 3, Java 2 QB-DC - 0. **Burst Cap.:** 24.

Java 2QB

Satellite Soluble Coffee Dispenser

Model	Series	Hopper # & Cap.	Tank Cap.	Dimensions W x D x H	Electrical	Ship Wt.	List Price
Java 2QB	Soluble	(2) 2 lbs.*	3.8 gal.	10" x 19⅜" x 34½"	120V, 1.6KW, 15A 240V, 6.4KW, 30A	75 lbs.	$ 2,700

Plumbing: ¼" Water line required. **Electrical:** Export voltage 220 available, add 5%. ***Coffee:** 2 & 3 lbs. hoppers are equivalent to 5½ & 8 lbs. cappuccino hoppers. **Finish:** Stainless steel. **Burst Cap.:** 78.

Choco1

4914

GB1HC-CP

GB1SKI-HC

GB2 Super SKI GB2 Super SKI-BL-LD-HC

GB5MF-HC-IT-LD

Delice For Mixing & Dispensing Thick Chocolate, Hot Cider, & Other Hot Beverages.

Model	Capacity	Dimensions W x D x H	Electrical	Ship Weight	List Price
Choco1	1.32 gal.	10¼" x 12½" 19½"	120V, 1.8KW, 15A	17 lbs.	$ 950

Adjustable Thermostat: Up to 190˚F

Mini Whipper

Model	Series	Hopper # & Cap.	Tank Cap.	Dimensions W x D x H	Electrical	Ship Wt.	List Price
4914	Mini Whipper	(1) 8 lbs.	.6 gal.	9" x 16" x 24"	120V, 1.8KW, 15A	29 lbs.	$ 1,160

Plumbing: ¼" Water line required. **Electrical:** 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Portion Control:** Add "AT" suffix to model # & $120 to list price. **Finish:** Stainless steel. **Burst Capacity:** 12.

Compact Whipper

Model	Series	Hopper # & Cap.	Tank Cap.	Dimensions W x D x H	Electrical	Ship Wt.	List Price
GB1HC-CP	Compact Whipper	(1) 8 lbs.	2 gal.	7¾" x 19" x 24"	120V, 1.8KW, 15A	30 lbs.	$ 1,200
GB2HC-CP	Compact Whipper	(2) 4 lbs.	2 gal.	7¾" x 19" x 24"	120V, 1.8KW, 15A	32 lbs.	1,360
GB3HC-CP	Compact Whipper	(3) 4 lbs.	2 gal.	10" x 19" x 27"	120V, 1.8KW, 15A	40 lbs.	1,700

Plumbing: ¼" Water line required. **Electrical:** 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Portion Control:** Add "PC" suffix & $110 to list price. **Finish:** Black. **Burst Cap.:** 38. **Note:** The above dispensers have non-lit displays.

Whipper, SKI Whipper

Model	Series	Hopper # & Cap.	Tank Cap.	Dimensions W x D x H	Electrical	Ship Wt.	List Price
GB1HC	Whipper	(1) 8 lbs.	2 gal.	8½" x 22" x 31½"	120V, 1.8KW, 15A	65 lbs.	$ 1,360
GB1SKI-HC	SKI Whipper	(1) 14 lbs.	3½ gal.	8½" x 22" x 37½"	120V, 1.8KW, 15A	85 lbs.	1,870
GB2SKI-HC	SKI Whipper	(2) 14 lbs.	8½ gal.	14⅛" x 23¼" x 38"	120V, 1.8KW, 15A	140 lbs.	3,250

Plumbing: ¼" Water line required. **Electrical:** 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Portion Control:** Add "PC" suffix & $110. **Finish:** Black. **Burst Cap.:** GB1HC=42, GB1SKI=93, GB2SKI=131. **Note:** The above dispensers have non-lit displays.

Super SKI High Volume Dispensers

Model	Series	Hopper # & Cap.	Tank Cap.	Dimensions W x D x H	Electrical	Ship Wt.	List Price
GB2 Super SKI-HC	SKI & Super SKI	(2) 14 lbs.	8½ gal.	14⅛" x 24¼" x 40½"	120/240V, 6KW, 25A	155 lbs.	$ 3,800
GB2 Super SKI-BL-LD-HC	SKI & Super SKI	(2) 14 lbs.	8½ gal.	14⅛" x 24¼" x 40½"	120/240V, 6KW, 25A	155 lbs.	3,600

Plumbing: ¼" Water line required. **Electrical:** 230V, 9KW, 39A · 230V, 18KW, 78A · 230V, 18KW, 45A 3 phase optional, add $300, export voltage 220 add 5%. **Portion Control:** Add "PC" & $110 to list price. **Finish:** GB2 Super SKI-HC – Stainless, GB2 Super SKI-BL-LD-HC – Black. **Note:** GB2 Super SKI-HC models have non lit displays. **Burst Cap.:** 150.

Multi-Flavor Dispensers Makes 12 Hot Drinks From 5 Ingredients.

Model	Series	Hopper # & Capacity	Tank Cap.	Burst Cap.	Dimensions W x D x H	Ship Wt.	List Price
GB5MF-HC-IT-LD*	Multi-Flavor	(2) 5 lbs. (3) 2 lbs.	3½ gal.	112	14" x 25" x 37½"	120 lbs.	$ 4,000

Plumbing: ¼" Water line required. **Electrical:** 120V, 1.8KW, 15A, line cord Nema plug 5-15R standard. 120/240V, 3KW, 15A, or 6KW, 25A optional, export voltage 220 available, add 5%. **Finish:** Black. ***F.A.S.T. Service:** Standard. Series name in red indicates digital model.

FE75N

Single 3 Gallon Urns

Model	Description	Dimensions W x D x H	Electrical	Ship Weight	List Price
FE75N	Adjustable By-Pass Automatic Agitator Solid State Timer	21½" x 17½" x 28½"	120/240V, 7KW, 29A, 1P 120/208V, 5.3KW, 26A, 1P	75 lbs.	$ 2,900
FE75N 3 Phase	Adjustable By-Pass Automatic Agitator Solid State Timer		120/240V, 6KW, 15A, 3P 120/208V, 4.5KW, 12A, 3P		3,050
CL75N	Adjustable By-Pass Push-Button Agitator Electro-Mechanical Timer		120/240V, 7KW, 29A, 1P 120/208V, 5.3KW, 26A, 1P		2,700

Plumbing: ¼" Water line required. **Electrical:** Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage 240/380/440 available, add 10%. **Body Construction:** Stainless steel. **Filters:** Order #718 filters.
N= New solid state liquid level control system, updated design, silicone grommets, etc.

FE100N

Twin 3 Gallon Urns

Model	Description	Dimensions W x D x H	Electrical	Ship Weight	List Price
FE100N	Adjustable By-Pass Automatic Agitator Solid State Timer	33½" x 17½" x 28½"	120/240V, 8KW, 34A, 1P 120/208V, 6KW, 29A, 1P	100 lbs.	$ 3,480
FE100N 3 Phase	Adjustable By-Pass Automatic Agitator Solid State Timer		120/240V, 8KW, 20A, 3P 120/208V, 6KW, 17A, 3P		3,640
CL100N	Adjustable By-Pass Push-Button Agitator Electro-Mechanical Timer		120/240V, 7KW, 29A, 1P 120/208V, 5.3KW, 26A, 1P		3,140

Plumbing: ¼" Water line required. **Electrical:** Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage 240/380/440 available, add 10%. **Body Construction:** Stainless steel. **Filters:** Order #718 filters.
N= New solid state liquid level control system, updated design, silicone grommets, etc.

Model	Description	Dimensions W x D x H	BTU's / Hour	Ship Weight	List Price
FE100G	Adjustable By-Pass Automatic Agitator Solid State Timer	37½" x 19½" x 31"	32,000	125 lbs.	$ 4,200

Specify Natural or LP Gas. Plumbing: ¼" Water line required. **Electrical:** 120V, 3A. **Body Construction:** Stainless steel.
Filters: Order #718 filters.

FE200

Twin 6 Gallon Urns

Model	Description	Dimensions W x D x H	Electrical	Ship Weight	List Price
FE200	Adjustable By-Pass Automatic Agitator Solid State Timer	37½" x 19½" x 33"	120/240V, 10KW, 42A, 1P 120/208V, 7.5KW, 38A, 1P	130 lbs.	$ 4,900
FE200 3 Phase	Adjustable By-Pass Automatic Agitator Solid State Timer		120/240V, 10KW, 24A, 3P 120/208V, 7.5KW, 22A, 3P		5,060
CL200	Adjustable By-Pass Push-Button Agitator Electro-Mechanical Timer		120/240V, 10KW, 42A, 1P 120/208V, 7.5KW, 38A, 1P		4,700

Plumbing: ¼" Water line required. **Electrical:** Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage 240/380/440 available, add 10%. **Body Construction:** Stainless steel. **Filters:** Order #820 filters.
Note: FE200 1 & 2 lbs. brew, CL200 2 lbs. brew only.

FE300

Twin 10 Gallon Urns

Model	Description	Dimensions W x D x H	Electrical	Ship Weight	List Price
FE300	Adjustable By-Pass Automatic Agitator Solid State Timer	42" x 21½" x 35"	120/240V, 15KW, 35A, 3P 120/208V, 11.5KW, 30A, 3P	170 lbs.	$ 6,000

Plumbing: ¼" Water line required. **Electrical:** Export voltage 240/380/440 available, add 10%. **Body Construction:** Stainless steel. **Filters:** Order #923 filters.

MP0303G

MP0 Pour-Over Coffee Urns

Model	Capacity/ Side	Dimensions W x D x H	Electrical*	Ship Weight	List Price
MP03	3 gal. Single	16" x 17½" x 27½"	208V, 2.3KW, 11A, 1P 240V, 3KW, 12.5A, 1P 240V, 4KW, 9.6A, 3P	50 lbs.	$ 2,050
MP06	6 gal. Single	16" x 17½" x 32½"	208V, 3.8KW, 18.2A, 1P 240V, 5KW, 20.8A, 1P 240V, 5KW, 12.0A, 3P	60 lbs.	2,350
MP0303	3 gal. Twin	28" x 17½" x 27½"	240V, 5KW, 20.8A, 1P 240V, 5KW, 12A, 3P	80 lbs.	2,700
MP0606	6 gal. Twin	28" x 17½" x 32½"	208V, 5.3KW, 25.5A, 1P 240V, 7KW, 29.2A, 1P 240V, 8KW, 19.3A, 3P	92 lbs.	3,500

Plumbing: ½" Water line required. ***Electrical:** Gas versions available, specify natural or LP gas & add G to model # ex. MP03G, MP03/6 - 13,000 BTU's/Hr., MP0303/606 - 29,000 BTU's/Hr., export voltage 240/380/440 available, add 10%. **Body Construction:** Stainless steel. **Truckboard Modification:** Add $150 list price.

CS113

Portable Coffee Holding Urns, Portable Hot Water Boilers

Model	Description	Dimensions Diameter x H	Electrical	Ship Weight	List Price
CS113	3 gal. Holding Urn/Water Boiler	11" diameter x 21½"	120V, 1.4KW, 11.6A	15 lbs.	$ 750
CS115	5 gal. Holding Urn/Water Boiler	11" diameter x 27½"	120V, 1.4KW, 11.6A	18 lbs.	$ 850

Electrical: Line cord included. **Body Construction:** Stainless steel.

Coffee Urn Options

Description	List Price
Double Service for Twin Urns, with Gauge Glass	$ 470
Double Service for Single Urns, with Gauge Glass	320
Dual or Half Brew on FE/CL75N, FE/CL100N, & FE300	**230**
Faucet Extensions	40
– each additional 1"	20
3 Phase Wiring	160
Export Voltages 220V, 380V, 440V	Add 10%

Correctional Package - Coffee Urns

- Legs Drilled and Tapped For Tie Down
- Hot Water Ready Indicator Instead of Temperature Gauge
- Air Agitation Stainless Steel Tubing
- Hex Configuration on all Faucet Bonnets; Removable by Tool Only
- Tamperproof Screws on Control Box
- Thermostat Guard Box, Fitted With Tamperproof Screws
- Spray Arm Not Removable Without Tools
- Fixed By-Pass Valve with Set Screw Adjustment
- Acrylic Gauge Glass
- Low Temperature Lockout - No Brew
- Locking Lids (locks not supplied)
- Optional: Hinged Lids

Description	List Price
Single Urn	$ 1,050
Twin Urn	1,400

CH100

Chinese Hot Tea Urns

Model	Description	Dimensions W x D x H	Electrical	Ship Weight	List Price
CH75N	Single 3 gal. Chinese Hot Tea Urn Electro-Mechanical Timer	21½" x 17½" x 28½"	120/240V, 7KW, 29A, 1P 120/208V, 5.3KW, 26A, 1P 120/240V, 6KW, 15A, 3P 120/208V, 4.5KW, 12A, 3P	75 lbs.	$ 2,620
CH100N	Twin 3 gal. Chinese Hot Tea Urn Electro-Mechanical Timer	33½" x 17½" x 28½"	120/240V, 8KW, 34A, 1P 120/208V, 6KW, 29A, 1P 120/240V, 8KW, 20A, 3P 120/208V, 6KW, 17A, 3P	100 lbs.	3,020

Plumbing: ¼" Water line required. **Electrical:** Specify voltage, comes standard in 1 phase, specify 3 phase if needed, export voltage 240/380/440 available, add 10%. **Body Construction:** Stainless steel. **Note:** Baskets not included with this model – designed for tea.

ME10EN

ME Water Boilers (Chinese - CME) - Electric, Gas & Gas with Electric

Model	Description	Capacity	Dimensions W x D x H	Ship Weight	List Price
ME10EN	Electric	10 gal.	18" x 19¾" x 26"	45 lbs.	$ 1,300
CME10EN	Electric	10 gal.	18" x 19¾" x 26"	45 lbs.	1,300
ME15EN	Electric	15 gal.	18" x 19¾" x 30½"	50 lbs.	1,650
CME15EN	Electric	15 gal.	18" x 19¾" x 30½"	50 lbs.	1,650
ME10GNE	Gas with Electric	10 gal.	17½" x 19¾" x 32"	50 lbs.	1,850
CME10GNE	Gas with Electric	10 gal.	17½" x 19¾" x 32"	50 lbs.	1,850
ME15GNE	Gas with Electric	15 gal.	17½" x 19¾" x 37½"	62 lbs.	2,100
CME15GNE	Gas with Electric	15 gal.	17½" x 19¾" x 37½"	62 lbs.	2,100
ME10G	Gas	10 gal.	17½" x 19¾" x 32"	50 lbs.	1,760
CME10G	Gas	10 gal.	17½" x 19¾" x 32"	50 lbs.	1,760
ME15G	Gas	15 gal.	17½" x 19¾" x 37½"	62 lbs.	1,930
CME15G	Gas	15 gal.	17½" x 19¾" x 37½"	62 lbs.	1,930

Plumbing: ¼" Water line required. **Electrical:** Specify voltage, 120V, 1.8KW; 208V, 5.3KW; 240V, 7KW - 1 Phase, export voltage 240/380/440 available, add 10%. **Gas:** For gas models specify natural or LP gas, 12,000 BTU's/Hr. **Body Construction:** Stainless steel. **N=** New solid state liquid level control system, updated design, silicone grommets, etc.

HWD5BL

HWD2

Hot Water Dispensers

Model	Capacity	Dimensions W x D x H	Electrical	Ship Weight	List Price
HWD2	2 gal.	9¼" x 21¼" x 20"	120V,1.8KW, 15A 240V, 3 KW, 20A	24 lbs.	$ 880
HWD3	3 gal.	9¼" x 21¼" x 24"	120V,1.8KW, 15A 240V, 3 KW, 20A	42 lbs.	1,000
HWD3PC	3 gal.	9¼" x 21¼" x 24"	120V,1.8KW, 15A 240V, 3 KW, 20A	42 lbs.	1,240
HWD5	5 gal.	9¼" x 21¼" x 30"	120V,1.8KW, 15A 240V, 6.6 KW, 30A	42 lbs.	1,270
HWD5PC	5 gal.	9¼" x 21¼" x 30"	120V,1.8KW, 15A 240V, 6.6 KW, 30A	42 lbs.	1,510

Plumbing: ¼" Water line required. **Electrical:** Line cord included, export voltage 220V/50/1 available, add 5%. **Body Construction:** Stainless steel. **Optional:** 2" legs; add $50 list price. **Finish:** Available in black, add "BL" suffix to model # ex. HWD5BL.

Brewer Features:

- **High Performance** – 3½ minute brew cycle with instant recovery.
- **Brew Light Indicator** – Illuminates when the coffee brewer is ready to brew.
- **High Limit Control** – Automatically turns the heater off if the brewer runs dry or overheats.
- **Liquid Level Control** – Automatically refills water tank at the end of each brew cycle.
- **12 Cup Capacity.**
- **All Stainless Steel Construction.**
- **Easy To Service** – Components are easily accessible through the top.
- **Hot Water Faucet** – For tea, hot chocolate, soup and more.

Coffee Station Series - Polysulfone Water Tank - Keeps liming to a minimum.
Brew Time Series - Stainless Steel Water Tank.

CS3AWT

Coffee Station Series with Polysulfone Water Tank

Model	Description	Dimensions W x D x H	Electrical	Ship Weight	List Price
CS2	Pour-Over, 2 Warmers	16" x 10" x 21¾"	120V, 1.7KW, 14A	25 lbs.	$ 520
CS3	Pour-Over, 3 Warmers	16" x 10" x 21¾"	120V, 1.8KW, 15A	26 lbs.	580
CS2A	Automatic, 2 Warmers	16" x 10" x 21¾"	120V, 1.7KW, 14A	28 lbs.	810
CS3A	Automatic, 3 Warmers	16" x 10" x 21¾"	120V, 1.8KW, 15A	28 lbs.	840
CS2AWT	Automatic, 2 Warmers, Hot Water Tap	16" x 10" x 21¾"	120V, 1.7KW, 14A	29 lbs.	1,000
CS3AWT	Automatic, 3 Warmers, Hot Water Tap	16" x 10" x 21¾"	120V, 1.8KW, 15A	29 lbs.	1,060

Plumbing: Automatic models require a ¼" water line. **Electrical:** Line cord included, export voltage 220V/50/1 available, add 5%. **Body Construction:** Stainless steel. **Filters:** Order #A12 filters. Decanters not included.

BT3

Brew Time Series with Stainless Steel Water Tank

Model	Description	Dimensions W x D x H	Electrical	Ship Weight	List Price
BT2	Pour-Over, 2 Warmers	17½" x 9½" x 20¼"	120V, 1.6KW, 14A	27 lbs.	$ 520
BT3	Pour-Over, 3 Warmers	17½" x 9½" x 20¼"	120V, 1.6KW, 14A	27 lbs.	580

Electrical: Line cord included, export voltage 220V/50/1 available, add 5%. **Body Construction:** Stainless steel. **Filters:** Order #A12 filters. Decanters not included.

Digital Century Brewer Features:

- **User Friendly Walk Thru Menus.**
- **Lockout Control** – Prevents unauthorized tampering with the brew cycle.
- **Water Temperature** – Allows you to set water temperature to a precise degree.
- **Set Brew Size** – Gives precise brew control by volume.
- **Freshness Control** – Reminds you to brew a fresh pot.
- **Heat Reduction Warmers** – Assures that a brewed pot of coffee will not become too hot or burn.
- **Pre-infusion - Pulse Brewing - Bypass** – Brew enhancement features that can be easily set to suit your coffee brewing needs.
- **Programmable Timer with Battery Backup** – Turns the brewer on and off at a prespecified time.

C2003RG-ITBL

C2003G-IT

Digital Century 2000 Coffee Brewers

Model	Warmers	Dimensions W x D x H	Electrical	Ship Weight	List Price
C2003G-IT	1 Bottom, 2 Top	8" x 18" x 18¾"	120V, 1.7KW, 15A	30 lbs.	$ 1,200
C2003RG-IT	2 Bottom, 1 Right	16" x 18" x 17¼"	120V, 1.7KW, 15A	36 lbs.	1,320
C2003LG-IT	2 Bottom, 1 Left	16" x 18" x 17¼"	120V, 1.7KW, 15A	36 lbs.	1,320
C2005RG-IT	3 Bottom Right, 2 Top	16" x 18" x 18¾"	120V, 1.95KW, 16A	51 lbs.	1,600
C2005LG-IT	3 Bottom Left, 2 Top	16" x 18" x 18¾"	120V, 1.95KW, 16A	51 lbs.	1,600
C2005G-IT	3 Bottom, 2 Middle	24" x 18" x 17¼"	120V, 1.95KW, 16A	51 lbs.	1,600

Plumbing: ¼" Water line required. **Electrical:** Line cord included, export voltage 220V/50/1 available, add 5%. **Body Construction:** Stainless steel. **Funnel:** All units come standard with plastic brew funnel, add $40.00 list for stainless steel brew funnel. **Shipboard Package:** With sea rails and tie downs add $200 list price. **Finish:** Available in black, add "BL" suffix to model # ex. C2003RG-ITBL. Decanters not included.

Century Brewer Features:

- **Automatic Recovery System** – If the heating elements become too hot, this automatically shuts them off to eliminate burnout.
- **Rapid Recovery Rate** – Continually brew coffee without depleting the hot water tank.
- **Independent Heater Switch** – Keeps tank water at a perfect brew temperature even when the power switch is shut off.
- **Heat Exchange Water Coil System** – A separate internal hot water system in all Automatic Coffee Brewers prevents short potting.
- **Hi-Tech Brew Controls** – Regulate water intake to create perfectly consistent brewed coffee.
- **Raised Warmer Plate** – Engineered to allow air to flow evenly around the wiring (Prevents wiring from drying out).
- **Top Mounted Heating Element** – Conveniently located on the top of the hot water tank.
- **Safety Flow Hot Water Faucet** – Automatically shuts off the hot water faucet when an operator walks away from the brewer.

Three Styles of Century Brewers:

- **Pour-Over Brewers** – Perfect for locations where water lines are not accessible.
- **Automatic Brewers w/Pour-Over Backup System** – For locations where you may have water line disruption (Not available on "G" models).
- **Automatic Gravity Feed Brewers w/Hot Water Tap** – Designed for brewing locations where low water pressure occurs, this system assures accurately brewed coffee.

C2003

C2003R

Century 2000 Coffee Brewers

Model	Warmers	Dimensions W x D x H	Electrical	Ship Weight	List Price
Pour-Over Brewers					
C2001P	1 Bottom	8" x 18" x 17¼"	120V, 1.7KW, 15A	25 lbs.	$ 520
C2002P	1 Bottom, 1 Top	8" x 18" x 18¾"	120V, 1.7KW, 15A	27 lbs.	590
C2003P	1 Bottom, 2 Top	8" x 18" x 18¾"	120V, 1.7KW, 15A	28 lbs.	650
C2003PR	2 Bottom, 1 Left	16" x 18" x 17¼"	120V, 1.7KW, 15A	36 lbs.	650
C2003PL	2 Bottom, 1 Left	16" x 18" x 17¼"	120V, 1.7KW, 15A	36 lbs.	650
Automatic Brewers with Pour-Over Back-Up System/ Gravity Feed Brewers With Hot Water Tap					
C2001*	1 Bottom	8" x 18" x 17¼"	120V, 1.7KW, 15A	25 lbs.	$ 930
C2001G (Gravity)	1 Bottom	8" x 18" x 17¼"	120V, 1.7KW, 15A	25 lbs.	930
C2002*	1 Bottom, 1 Top	8" x 18" x 18¾"	120V, 1.7KW, 15A	29 lbs.	980
C2002G (Gravity)	1 Bottom, 1 Top	8" x 18" x 18¾"	120V, 1.7KW, 15A	29 lbs.	980
C2003*	1 Bottom, 2 Top	8" x 18" x 18¾"	120V, 1.7KW, 15A	30 lbs.	1,040
C2003G (Gravity)	1 Bottom, 2 Top	8" x 18" x 18¾"	120V, 1.7KW, 15A	30 lbs.	1,040
C2003R*	2 Bottom, 1 Right	16" x 18" x 17¼"	120V, 1.7KW, 15A	36 lbs.	1,100
C2003RG (Gravity)	2 Bottom, 1 Right	16" x 18" x 17¼"	120V, 1.7KW, 15A	36 lbs.	1,100
C2003L*	2 Bottom, 1 Left	16" x 18" x 17¼"	120V, 1.7KW, 15A	36 lbs.	1,100
C2003LG (Gravity)	2 Bottom, 1 Left	16" x 18" x 17¼"	120V, 1.7KW, 15A	36 lbs.	1,100
C2003R35*	2 Bottom, 1 Right	16" x 18" x 17¼"	120/240V, 3.7KW, 20A	36 lbs.	1,150
C2003RG35 (Gravity)	2 Bottom, 1 Right	16" x 18" x 17¼"	120/240V, 3.7KW, 20A	36 lbs.	1,150
C2003L35*	2 Bottom, 1 Left	16" x 18" x 17¼"	120/240V, 3.7KW, 20A	36 lbs.	1,150
C2003LG35 (Gravity)	2 Bottom, 1 Left	16" x 18" x 17¼"	120/240V, 3.7KW, 20A	36 lbs.	1,150
C200535*	3 Bottom, 1 Left, 1 Right	24" x 18" x 17¼"	120/240V, 3.7KW, 20A	44 lbs.	1,320
C2005R35*	3 Bottom, 2 Top	16" x 18" x 17¼"	120/240V, 3.7KW, 20A	44 lbs.	1,320
C2005RG35 (Gravity)	3 Bottom, 2 Top	16" x 18" x 17¼"	120/240V, 3.7KW, 20A	44 lbs.	1,320
C2005L35*	3 Bottom, 2 Top	16" x 18" x 17¼"	120/240V, 3.7KW, 20A	44 lbs.	1,320
C2005LG35 (Gravity)	3 Bottom, 2 Top	16" x 18" x 17¼"	120/240V, 3.7KW, 20A	44 lbs.	1,320

Plumbing: Automatic models require a ¼" water line. **Electrical:** Export voltage 220V/50/1 available, add 5%. **Body Construction:** Stainless steel. **Funnel:** All units come standard with plastic brew funnel, add $60.00 list for stainless steel brew funnel. **Finish:** Available in black, add "BL" suffix to model # ex. C2003G-BL. Decanters not included. *Pour-over backup system (not available on "G" models).

BC2E-IT

Brew Center Brewer it2 Features:

- **User Friendly Walk Thru Menus.**
- **Lockout Control** – Prevents unauthorized tampering with the brew cycle.
- **Water Temperature** – Allows you to set water temperature to a precise degree.
- **Set Brew Size** – Gives precise brew control by volume.
- **Freshness Control** – Reminds you to brew a fresh pot.
- **Heat Reduction Warmers** – Assures that a brewed pot of coffee will not become too hot or burn.
- **Pre-infusion - Pulse Brewing - Bypass** – Brew enhancement features that can be easily set to suit your coffee brewing needs.
- **Programmable Timer with Battery Backup** – Turns the brewer on and off at a prespecified time.

BC2E-IT-BL

Digital Coffee Brew Centers it2

Model	Cups/Brew Cycle	Cups/ Hour	Dimensions W x D x H	Electrical	Ship Weight	List Price
BC2E-IT Twin	36	400	18" x 17¾" x 31"*	120/240V, 6.2KW, 27A	110 lbs.	$ 2,500
BC302E-IT Twin	12/24/36	400	18" x 17¾" x 31"*	120/240V, 6.3KW, 27A	110 lbs.	3,100
BC301E-IT Single	12/24/36	240	9" x 17¾" x 31"*	120/240V, 4.1KW, 18A	66 lbs.	2,080

Plumbing: ¼" Water line required. **Electrical:** Export voltage 220V/50/1 available, add 5%, all brew centers are single phase with 3 wires, plus a ground. **Body Construction:** Stainless steel. **Funnel:** All units come standard with plastic brew funnel, add $80.00 list for stainless steel brew funnel. **Finish:** Available in black, add "BL" suffix to model # ex. BC2E-IT-BL. **Filters:** For plastic brew funnel order #412 filters, stainless steel brew funnel order #514 filter. **Carrier Capacity:** 1½ gal., 36 cups. * **Dimensions Note:** Depth to faucet center, add 4½"; Height includes 4" adjustable legs.

BC302E-BL

BC1E

Brew Center Features:

- **Quick Hot Water Recovery** – Large hot water tank.
- **Insulated 1½ Gallon Portable Carriers** – With unique locking lid design and carrier safety holder, keeps carrier firmly on brewer.
- **Solid State Electronic Controls** – Insure perfectly brewed coffee.
- **Solid State Level Control** – Maintains proper water level.
- **Hot Water Faucet** – For soup, tea, hot cocoa, etc., can be used during brewing cycle.

Brew Centers with Analog System

Model	Cups/Brew Cycle	Cups/ Hour	Dimensions W x D x H	Electrical	Ship Weight	List Price
BC1E Single	36	240	9" x 17¾" x 31"*	120/240V, 4.1KW, 18A	65 lbs.	$ 1,560
BC120E Single	12/24	240	9" x 17¾" x 31"*	120V, 1.8KW, 15A	66 lbs.	1,320
BC2E Twin	36	400	18" x 17¾" x 31"*	120/240V, 6.2KW, 27A	105 lbs.	2,200

Plumbing: ¼" Water line required. **Electrical:** Export voltage 220V/50/1 available, add 5%, all brew centers are single phase with 3 wires, plus a ground, except BC120 is 120V. plug-in. **Body Construction:** Stainless steel. **Funnel:** All units come standard with plastic brew funnel, add $80.00 list for stainless steel brew funnel. **Finish:** Available in black, add "BL" suffix to model # ex. BC120E-BL. **Filters:** For plastic brew funnel order #412 filters, stainless steel brew funnel order #514 filter. **Carrier Capacity:** 1½ gal., 36 cups. * **Dimensions Note:** Depth to faucet center, add 4½"; Height includes 4" adjustable legs.

TWHC

1½ Gallon Carrier & Heated Stands

Model	Description	Dimensions W x D x H	Electrical	Ship Weight	List Price
CAR-1	Carrier	9" x 9" x 11"	N/A	15 lbs.	$ 270
SWH	Single Heated Stand	9" x 9" x 7¾"	120V, 100W, .8A	8½ lbs.	160
SWHC	Single Heated Stand With Carrier	9" x 9" x 18¾"	120V, 100W, .8A	21 lbs.	430
TWH	Twin Heated Stand	18" x 9" x 7¾"	120V, 200W, 1.6A	14 lbs.	230
TWHC	Twin Heated Stand With Carrier	18" x 9" x 18¾"	120V, 200W, 1.6A	38 lbs.	780

Electrical: Line cord included. **Body Construction:** Stainless steel. **Finish:** Available in black, add "BL" suffix to model # ex. CAR-1BL.

Stainless Steel Drip Trays

Model	Description	Dimensions W x D x H	Ship Weight	List Price
95161	Twin Drip Tray	15" x 5" x ¾"	3 lbs.	$ 100
95162	Single Drip Tray	8" x 5" x ¾"	2 lbs.	80

APT18

Airpot Coffee Brewers

Model	Dimensions W x D x H	Electrical	Ship Weight	List Price
APT18P Pour-Over	8¼" x 18" x 24"	120V, 1.8KW, 15A	29 lbs.	$ 610
APT18	8¼" x 18" x 24"	120V, 1.8KW, 15A	29 lbs.	890
APT18WT With Water Tap	8¼" x 18" x 24"	120V, 1.8KW, 15A	30 lbs.	1,000
APT100WT Twin Brewer With Water Tap	17" x 18" x 24"	120/240V, 5KW, 23A	55 lbs.	1,550

Plumbing: ¼" Water line required. **Electrical:** Line cord included, export voltage available upon request. **Body Construction:** Stainless steel. **Finish:** Available in black, add "BL" suffix to model # ex. APT18-1BL. **Filters:** Order #A12 filters. **Note:** Brewers are set for 2.2 liter capacity airpots, but can easily be adjusted for 1.9 or 2.5 liter airpots. Airpot not included.

APT18WT-IT

Digital Airpot Coffee Brewers

Model	Dimensions W x D x H	Electrical	Ship Weight	List Price
APT18-IT	8¼" x 18" x 24"	120V, 1.8KW, 15A	29 lbs.	$ 1,020
APT18WT-IT With Water Tap	8¼" x 18" x 24"	120V, 1.8KW, 15A	30 lbs.	1,100

Plumbing: ¼" Water line required. **Electrical:** Line cord included, export voltage available upon request. **Body Construction:** Stainless steel. **Finish:** Available in black, add "BL" suffix to model # ex. APT18-IT-BL. **Filters:** Order #A12 filters. **Note:** Brewers are set for 2.2 liter capacity airpots, but can easily be adjusted for 1.9 or 2.5 liter airpots. Airpot not included.

V203A

Airpots

Model	Capacity	Brewing Height*	Dimensions Diameter x H	Quantity List Price 1-5	6-72	78+
				Airpots Packed 6 Per Case		
V222A	1.9 L, 64 oz.	12½"	6¼" diameter x 15½"	$ 60.50	$ 56.00	$ 53.00
V223A	2.2 L, 74 oz.	12¾"	6¼" diameter x 16"	60.50	56.00	53.00
V203A	2.5 L, 84 oz.	13½"	6¼" diameter x 16½"	65.50	62.00	60.00

Ship Weight: 4 lbs. * Fits standard airpot brewers.

APT-RK6

Airpot Racks

Model	Description	Dimensions W x D x H	Ship Weight	List Price
APT-RK2	2 Airpot Rack	7" x 23" x 29¼"	10 lbs.	$ 120
APT-RK4	4 Airpot Rack	13¾" x 23" x 29¼"	22 lbs.	230
APT-RK6	6 Airpot Rack	20¼" x 23" x 29¼"	32 lbs.	290

Apt racks fit V222A, V223A and V203A airpots.

Model A

Model C

Al-Len Ground Coffee Dispenser Features:

- **Model A, B, G** – Dispenses directly into a brew basket (up to 8¾" in diameter).
- **Model C** – Dispenses into a stainless steel cup.
- **Dispense Perfect Portions** – With no mess, waste or bridging.
- **Easy Dispenser Adjustments** – Save on coffee and labor.
- **Six Pound High Density Lexan® Hopper** – Holds up to 6 pounds of fresh ground coffee.

Ground Coffee Dispensers

Model	Recommended Use	Portion Size	Description	Dimensions W x D x H	Ship Weight	List Price
Model A*	Drip or Coarse Ground Coffee.	1½ to 3¼ ounces.	Dispenses Directly Into a Brew Basket Up To 8¾" In Diameter.	9¼" x 11¼" x 18½"	14 lbs.	$ 340
Model B	Finer Ground Extended Yield Coffee.	1 to 2¼ ounces.	Comes Standard With Built-In Agitator. Dispenses Directly Into a Brew Basket. Up To 8¾" In Dia.	9¼" x 11¼" x 18½"	14 lbs.	370
Model G*	Drip or Coarse Ground Coffee.	4¼ to 9 ounces.	For Use With Larger Coffee Brewers. Will Accept Brew Baskets Up To 8¾" In Diameter.	9¼" x 11¼" x 25¼"	16 lbs.	410
Model C*	Coarse Ground Coffee to Extended Yield Coffee.	1⅓ to 11 ounces.	Dispenses Directly Into A Stainless Steel Cartridge Cup.	9¼" x 9¼" x 18½"	13 lbs.	410

*** Available with Optional Built-in Agitator** – Eliminates bridging when using fine ground coffee, add "AG" suffix to model #, & add $26.00 List Price. **** For Stainless Steel Cover** – Add "SS" suffix to model number & $22.00 to list price.
Extra Dispenser Cups: For model C available, add $64.00 to list price.

Coffee Warmers

Step-Up Warmers

SW3-BL

SW2CR

Model	# of Warmers	Dimensions W x D x H	Electrical	Ship Weight	List Price
SW2CR (Right)	2	8" x 17¼" x 8"	120V, 200W, 1.6A	8 lbs.	$ 170
SW2CL (Left)	2	8" x 17¼" x 8"	120V, 200W, 1.6A	8 lbs.	170
SW3	3	8" x 21" x 15"	120V, 300W, 2.5A	15 lbs.	270
SW3T*	3	8" x 21" x 15"	120V, 300W, 2.5A	15 lbs.	430

SW2CR(L) warmers line-up with Century Brewer Series. **Finish:** Available in black, add "BL" suffix to model # ex. SW2CR-BL.
*** SW3T** with freshness control timer - consists of 3 step-up warmers with 3 discrete alert timers - all set for 30 minutes, 3 on/off switches, 6 LED's (3 in front, 3 in back).

Side-By-Side Warmers

MW2

Model	# of Warmers	Dimensions W x D x H	Electrical	Ship Weight	List Price
MW2	2 Warmers	14" x 7" x 2"	120V, 200W, 1.6A	6 lbs.	$ 100
MR2	2 Ranges	14" x 7" x 2"	120V, 1.33KW, 11A	6 lbs.	170
MWR2	2 Warmers 1 Combination*	14" x 7" x 2"	120V, 765W, 6A	6 lbs.	150

Electrical: Line cord included, export voltage 220V/50/1 available, add 5%. *Combination can be used as either a warmer or range.

Java 2LC

Liquid Coffee Dispenser

Model	Series	2 Channel Box Capacity	Tank Cap.	Dimensions W x D x H	Electrical	Ship Wt.	List Price
Java 2LC	Liquid	540 gr.	3.7 gal.	14⅛" x 23½" x 31"	120V, 1.5KW, 15A 220V, 3KW, 15A* 120/240V, 6KW, 25A*	75 lbs.	$ 3,200

Plumbing: ¼" Water line required. **Electrical:** 120V, 1.5KW, 15A, line cord Nema plug 5-15R standard. * Options add $300 to list price, export voltage 220 available, add 5%. **Finish:** Stainless steel. **Burst Capacity:** 1.5KW = 58, 3KW = 140, 6KW = 200, based on 6 oz cups. **Note:** 800 (6 oz) cups dispensed per 2 channel box. Non-lit door. Series name in red indicates digital model.

Coffee Brewer Filters

Filter	A12	A10	U12
Size	4½" Bottom 2⅝" Sidewall	3" Bottom 3" Sidewall	3½" Bottom 3⅛" Sidewall
Description	Fits 12 Cup Brewers	Fits 8 Cup Office Brewers	Universal Filter One Size Fits All
List Price/Box*			
1 Box	$ 27.00	$ 27.00	$ 27.00
50 Boxes	25.50	25.50	25.50
100 Boxes	24.00	24.00	24.00

***Note:** Packed 1M per box. **Ship Weight Per Box** = 6 lbs.

Coffee Urn Filters

Filter	718	820	923	2511	412	514
Size	18" Dia 6" Bot.	20" Dia. 8" Bot.	23" Dia. 8" Bot.	25" Dia. 11" Bot.	12¾" Dia. 5" Bot.	14" Dia. 5" Bot.
Description	3 gal. Coffee Urns	5-6 gal. Coffee Urns	9-10 gal. Coffee Urns	Special 10 gal. Coffee Urns	Satellite Coffee Brewers, Iced Tea Brewers	Satellite Coffee Brewers, Iced Tea Brewers
Ship Weight/Box	10 lbs.	14 lbs.	17 lbs.	20 lbs.	6 lbs.	7 lbs.
List Price/Box*						
1 Box	$ 75.00	$ 90.00	$ 110.00	$ 140.00	$ 60.00	$ 60.00
20 Boxes	70.00	85.00	100.00	130.00	54.00	54.00
50 Boxes	67.00	80.00	90.00	125.00	50.00	50.00

***Note:** Packed 500 per box.

NEW PRODUCT

ESP2-220V

NEW PRODUCT

ST220V

NEW PRODUCT

HC-600

VAE22

VGA

Venezia II & Venezia Espresso Machines Features:

- Touch Pad Control Panel.
- Hot Water Dispenser.
- Extra Long Movable Steam Wand.
- Pod Filter Adapter Included.
- Makes Single or Double Espresso; 1 or 2 Cups at a Time.
- Double Gauge For Boiler & Pump Pressure Control.
- Built-in Motor Pump with In-line Filter.
- Adjustable Legs.

Venezia II Espresso Machines & Steamer

Model	Desc.	# Of Heads	Boiler Size	Cups /Hr.*	Dimensions W x D x H	Electrical	Ship Wt.	List Price
ESP1-110V	Auto	1 Group	6 qts.	240	20⅝" x 21⅜" x 21½"	120V, 2KW, 18A	106 lbs.	$ 4,750
ESP1-220V	Auto	1 Group	6 qts.	240	20⅝" x 21⅜" x 21½"	240V, 2.5KW, 10A	106 lbs.	5,000
ESP2-220V	Auto	2 Group	13 qts.	480	28⅜" x 21⅜" x 21½"	240V, 4.7KW, 20A	147 lbs.	5,700
ESP3-220V	Auto	3 Group	19 qts.	720	37⅞" x 21⅜" x 21½"	240V, 6.5KW, 27A	185 lbs.	7,200
ST220V	Steamer	N/A	6 qts.	N/A	19⅜" x 21⅜" x 22¾"	240V, 3.1KW, 13A	88 lbs.	4,150

Plumbing: ½" pipe fitting connection required. **Electrical:** Line cord included, WITHOUT plug. **Heating Element:** ESP1-110V = 1.5KW, ESP1-220V = 2KW, ESP2-220V = 4KW, ESP3-220V = 6KW, ST220V = 3KW. **Accessories:** Two & one cup filter holder assemblies & hoses are included with all espresso machines. Steamers include hoses.
Installation Package: Includes in-line water filter, part OPTESP, add $900 to list price. **Note:** In-line water filter must be installed for warranty to be in effect. * Demi Tasse Cups.

Venezia II Espresso Grinders

Model	Description	Grinding Blades	Grinding Speed	Dimensions W x D x H	Electrical	Ship Wt.	List Price
HC-600	Grinder/Manual Timer	2½" dia.	1550 rpm	8½" x 13" x 22"	120V, 350W, 3A	31 lbs.	$ 850

Electrical: Line cord included, NEMA plug 5-15P. **Espresso Bean Container Capacity:** 3 lbs. **Dose Adjustment:** 5.5 - 9 g. **Ground Espresso Container Capacity:** .6 lbs. **HP:** ½.

Venezia Espresso Machines

Model	Description	# Of Heads	Boiler Size	Cups /Hr.*	Dimensions W x D x H	Electrical	Ship Wt.	List Price
VAEJ1	Automatic	1 Group	5 qts.	240	14" x 21" x 20"	120V, 2KW, 17A	135 lbs.	$ 6,200
VAE1	Automatic	1 Group	6 qts.	240	19½" x 21" x 20"	120V, 2KW, 17A	150 lbs.	7,400
VAE2	Automatic	2 Group	11 qts.	480	27½" x 21" x 20"	120V, 2.6KW, 22A	200 lbs.	9,500
VAE22	Automatic	2 Group	11 qts.	480	27½" x 21" x 20"	240V, 5KW, 21A	200 lbs.	9,500
VAE3	Automatic	3 Group	18 qts.	720	37" x 21" x 20"	240V, 3.7KW, 16A	250 lbs.	11,500
VSE1	Semi Auto	1 Group	6 qts.	240	19½" x 21" x 20"	120V, 2KW, 17A	150 lbs.	5,550
VSE22	Semi Auto	2 Group	11 qts.	480	27½" x 21" x 20"	240V, 5KW, 21A	170 lbs.	7,400

Plumbing: ⅜" pipe fitting connection & minimum water pressure of 30 psi required. **Electrical:** Line cord included, WITHOUT plug. **Heating Element:** VAEJ1/VAE1/VSE1 = 2KW, VAE2 = 2.6KW, VAE22/VSE22 = 4KW, VAE3 = 3.7KW. **Accessories:** Two & one cup filter holder assemblies & hoses are included with all espresso machines.
Installation Package: Includes in-line water filter, part OPTESP, add $900 to list price. **Note:** In-line water filter must be installed for warranty to be in effect. * Demi Tasse Cups.

Venezia Espresso Grinders

Model	Description	Grinding Blades	Grinding Speed	Dimensions W x D x H	Electrical	Ship Wt.	List Price
VGT	Grinder/Manual Timer	2½" dia.	1600 rpm	7¾" x 10½" x 23½"	120V, 350W, 2.9A	31 lbs.	$ 1,320
VGA	Grinder/Automatic Timer	2½" dia.	1600 rpm	7¾" x 10½" x 23½"	120V, 350W, 2.9A	31 lbs.	1,590
VGHDA	Heavy Duty Grinder/ Automatic Timer	3¼" dia.	1600 rpm	8⅜" x 11½" x 25"	120V, 650W, 5.4A	44 lbs.	2,200

Electrical: Line cord included, NEMA plug 5-15P. **Espresso Bean Container Capacity:** VGT & VGS - 2.7 lbs., VGHDA - 4 lbs. **Dose Adjustment:** 5.5 - 9 g. **Ground Espresso Container Capacity:** VGT & VGS - .6 lbs., VGHDA - .8 lbs. **HP:** VGT & VGS = ½, VGHDA = 1.

NHT2UL

NHT Frozen Drink Dispenser Features:

- **Suction Cup Compression Seal** – A suction cup style diaphragm acts as a barrier between the granita product and vital gear motors.
- **Dual Surface Freezing Chamber** – freezes product quickly and efficiently.
- **24 Hour Programmable Defrost Timer.**
- **Reversible Lid With lighted Graphics.**
- **Auto Fill Ready For Liquid Bag-In-The-Box Apparatus.**
- **Level Control System** – In Auto Fill dispenser, senses when the Granita product is too low & automatically refills it to the appropriate level.
- **Adjustable Slush Mode** – Allows you to set the slush consistency.
- **Cool Beverage Mode.**



300 Series Stainless Steel
Non Magnetic Auger Shaft
Will Not Rust!

NHT3UL

NHT Frozen Drink Dispensers

FrigoGranita

Model	Finish	# of Bowls	Bowl Capacity	HP	Dimensions W x D x H	Ship Weight	List Price
NHT2UL	SS	2	2½ gal.	½	14¼" x 18¼" x 27¾"	95 lbs.	$ 3,300
NHT2ULBL	Black	2	2½ gal.	½	14¼" x 18¼" x 27¾"	95 lbs.	3,300
NHV2UL	SS	2	2½ gal.	(2) ½	14¼" x 18¼" x 35¾"	148 lbs.	4,750
NHT3UL	SS	3	2½ gal.	¾	21" x 18¼" x 27¾"	125 lbs.	4,750
NHT3ULBL	Black	3	2½ gal.	¾	21" x 18¼" x 27¾"	125 lbs.	4,750

Electrical: Line cord included, NHT2 = 120V, 1.7KW, 15A, NHT3/NHV2UL = 120V, 2.3KW, 20A. **SS:** Stainless steel. Stainless steel dispensers come standard with light gray lids & gray drip trays. **Note:** This series has reversible lids with single sided lighted graphics.

Customized Dispenser

NHT & MT Frozen Drink Dispenser Accessories

Brand Recognition Program – *Custom Graphics For NHT, MT Standard & Giant Series Dispensers*

- Custom Color Rear Labels.
- Custom Lid Pictures.
- Custom Color Labels on all 4 sides.

Description	List Price
Custom Graphics For Single Bowl (MT1PUL)	$ 170
Custom Graphics For Double Bowl (MT2 / MV2 / NHT2 / NHV2)	190
Custom Graphics For Triple Bowl (MT3 / NHT3)	210
Custom Graphics For Giant (GIANT2)	230

Contact Cecilware for more information.

Ice Breaker Lid

Ice Breaker Lids* – *Break Up The Ice That Can Form At The Top Of The Granita Bowl*

Part #	Description	List Price
00557	Complete Black Lid with Ice Breaker	$ 180
00581	Complete White Lid with Ice Breaker	180
00582	Complete Gray Lid with Ice Breaker	180

*NHT & MT Standard series only.



Cut-away view

MT Frozen Drink Dispenser Features:

FrigoGranita

Patented Magnetic Drive System

- Auger Fits Securely Over The Outside Of The Magnetic Drive System, Turning Via A Series Of Magnets.
- The Auger Motor Turns Magnetically Eliminating The Need For Front Or Rear Seals.
- This System Lowers Maintenance Costs And Decreases Auger Motor Burnout.
- Eliminates Damage To The Auger Motor If Product Freeze-Up Occurs.
- The Granita Product Is Encapsulated Inside The Bowl.

Now That's Cool!

- Adjustable Slush Mode – Sets Slush Consistency.
- 24 Hour Programmable Defrost Timer.
- Dual Surface Freezing Chamber*.
- Washable Condenser Filter.
- Cool Beverage Mode.

*MT Standard & MT Giant series only, the MT Mini series uses a solid single sided chamber.

MT1Mini

MT Mini Series Frozen Drink Dispensers

Model	Finish	# of Bowls	Bowl Capacity	HP	Dimensions W x D x H	Ship Weight	List Price
MT1Mini	SS	1	1½ gal.	⅛	7 1/16" x 18½" x 25⅝"	58 lbs.	$ 2,450
MT2Mini	SS	2	1½ gal.	⅓	14 3/16" x 18½" x 25⅝"	95 lbs.	3,150
MT3Mini	SS	3	1½ gal.	½	21¼" x 18½" x 25⅝"	119 lbs.	4,400

Electrical: Line cord included, MT1Mini = 120V, 460W, 4A, MT2Mini = 120V, 1KW, 9A, MT3Mini = 120V, 1.5KW, 13A. **SS:** Stainless steel. **Note:** This series has reversible lid(s) with 360° wrap-around non-lit graphics. For available accessories see previous page.

MT2UL

MT Standard Series Frozen Drink Dispensers

Model	Finish	# of Bowls	Bowl Capacity	HP	Dimensions W x D x H	Ship Weight	List Price
Manual Fill Models							
MT1PUL	SS	1	2½ gal.	¼	11½" x 18½" x 27¾"	67 lbs.	$ 3,100
MT1PULBL	Black	1	2½ gal.	¼	11½" x 18½" x 27¾"	67 lbs.	3,100
MT2UL	SS	2	2½ gal.	½	14¼" x 18½" x 27¾"	95 lbs.	4,220
MT2ULBL	Black	2	2½ gal.	½	14¼" x 18½" x 27¾"	95 lbs.	4,220
MT3UL	SS	3	2½ gal.	¾	21" x 18½" x 27¾"	125 lbs.	5,970
MT3ULBL	Black	3	2½ gal.	¾	21" x 18½" x 27¾"	125 lbs.	5,970
Auto Fill Ready For Liquid Bag-In-The-Box Apparatus							
MT2ULAF	SS	2	2½ gal.	½	14¼" x 18½" x 27¾"	97 lbs.	$ 5,150
MT2ULAFBL	Black	2	2½ gal.	½	14¼" x 18½" x 27¾"	97 lbs.	5,150
MV2ULAF	SS	2	2½ gal.	(2) ½	14¼" x 18½" x 35¾"	148 lbs.	5,900
MT3ULAF	SS	3	2½ gal.	¾	21" x 18½" x 27¾"	127 lbs.	7,400

MT3ULBL

Electrical: Line cord included, MT1P & MT2 = 120V, 1.7KW, 15A, MT3 & MV2 = 120V, 2.3KW, 20A. **SS:** Stainless steel. Stainless steel dispensers come standard with light gray tops & gray drip trays. **Note:** This series has reversible lid(s) with single sided lighted graphics. For available accessories see previous page.

GIANT2BL

MT Giant Series Frozen Drink Dispensers

Model	Finish	# of Bowls	Bowl Cap.	HP	Dimensions W x D x H	Ship Weight	List Price
GIANT2	SS	2	4 gal.	(2) ½	18" x 20½" x 35½"	147 lbs.	$ 4,600
GIANT2BL	Black	2	4 gal.	(2) ½	18" x 20½" x 35½"	147 lbs.	4,600

Electrical: Line cord included, GIANT2 = 120V, 2.3KW, 20A. **SS:** Stainless steel. Stainless steel dispensers come standard with light gray tops & gray drip trays. **Note:** This series has locking reversible lids with 360° wrap-around lighted graphics. For available accessories see previous page.

20/2PD

Deluxe Series

Dispense Fruit Punch, Lemonade, & Fruit Juice Containing Particulates.

Function: Classic bubbler style dispenser with magnetic drive agitators, can be set for fast or gentle agitation, stainless steel dispensing valves, removable sides.

Model	Replaces	# of Bowls	Dimensions W x D x H	Electrical	Ship Weight	List Price
20/1PD	HT20,10/1	1	7⅛" x 18½" x 26½"	120V, .6KW, 5A	55 lbs.	$ 1,210
20/2PD	HT20,10/2	2	14½" x 18½" x 26½"	120V, .6KW, 5A	80 lbs.	1,820
20/3PD	HT20,10/3	3	21¼" x 18½" x 26½"	120V, 1.4KW, 12A	102 lbs.	2,200
20/4PD	HT20,10/4	4	28½" x 18½" x 26½"	120V, 2KW, 16A	130 lbs.	2,680

Electrical: Line cord included. **Body Construction:** Stainless steel. **Bowl Size:** 5.4 gal. **Optional:** 3.17 gal. bowl(s) also available, contact Cecilware for more details.

20/3PE

Economy Series

Dispense Fruit Punch, Lemonade, & Fruit Juice Containing Particulates.

Function: Classic bubbler style dispenser with magnetic drive agitators, can be set for fast or gentle agitation, stainless steel dispensing valves, unibody construction.

Model	Replaces	# of Bowls	Dimensions W x D x H	Electrical	Ship Weight	List Price
20/1PE	HT20,10/1	1	7⅛" x 18½" x 26½"	120V, .6KW, 5A	55 lbs.	$ 1,060
20/2PE	HT20,10/2	2	14½" x 18½" x 26½"	120V, .6KW, 5A	80 lbs.	1,600
20/3PE	HT20,10/3	3	21¼" x 18½" x 26½"	120V, 1.4KW, 12A	102 lbs.	1,930
20/4PE	HT20,10/4	4	28½" x 18½" x 26½"	120V, 2KW, 16A	130 lbs.	2,350

Electrical: Line cord included. **Body Construction:** Stainless steel. **Bowl Size:** 5.4 gal. **Optional:** 3.17 gal. bowl(s) also available, contact Cecilware for more details.

8/4

Compact "Slow" Agitation Series

Dispense Iced tea, Iced cappuccino, & Fruit Juice Containing Particulates.

Function: Magnetic Driven Agitator - Very slow product agitation, reduces foaming, stainless steel dispensing valves, unibody construction.

Model	Replaces	# of Bowls	Dimensions W x D x H	Electrical	Ship Weight	List Price
8/1	Caddy 10/1	1	9" x 15¾" x 24¾"	120V, .6KW, 5A	33 lbs.	$ 880
8/2	Caddy 10/2	2	12" x 15¾" x 24¾"	120V, .6KW, 5A	42 lbs.	1,300
8/3	Caddy 5/3	3	16¼" x 15¾" x 24¾"	120V, 1.4KW, 12A	51 lbs.	1,510
8/4	Caddy 5/4	4	21¼" x 15¾" x 24¾"	120V, 2KW, 16A	58 lbs.	1,930

Electrical: Line cord included. **Body Construction:** Stainless steel. **Bowl Size:** 2.2 gal.

RTS2

Ready To Serve Dispenser Features:

- **Accepts (2x) 2¾ Gal. Beverages** – Suitable for any non-carbonated drink.
- **Bag-In-The-Box Dispenser** – Accepts any bag-in-box or bag-in-basket size/format.
- **Stands Out From The Crowd** – Back lit and customizable P.O.P. graphic.
- **Hygienic** – Unique pull out drip tray and surroundings are easy to keep clean.
- **Door And Faucets Can Be Key Locked** – Eliminates unauthorized tampering of product.
- **Easy Installation & Smooth Operation.**
- **No Waterlines Needed.**
- **Quality Built.**

Approved For Dairy

Ready To Serve Dispenser

Model	Basket & Carton Dimensions	Dimensions W x D x H	Electrical	Ship Weight	List Price
RTS2	5½" x 12½" x 15¾"	14¼" x 22½" x 39¾"	120V, 1.8KW, 15A	95 lbs.	$ 2,400

Electrical: Line cord included, 120V, 1.8KW, 15A. **Required:** Please specify your choice of 1 graphic panel & 2 flavor labels when ordering, no charge. For additional panels & labels, see list below. **Temperature Range:** Adjustable 36° - 50° F.

Coffee Graphic

Milk Graphic

RTS-2 Accessories

Part	Description	List Price
08423	Graphic panel - Cappuccino/Iced Coffee	$ 53
08426	Graphic panel - Fresh Milk	48
08424	Flavor label - Mocha	18
08427	Flavor label - Fresh Milk	19
08425	Flavor label - French Vanilla	20
08428	Flavor label - Original	20
08429	Flavor label - Chocolate	20

NEW PRODUCT

CTR2.68LD

Countertop Display Refrigerators *Available: April 2009*

Model	Cubic Ft.	Temp.	HP	Dimensions W x D x H	Electrical	Ship Weight	List Price
CTR2.68LD	2.7	32°F - 45°F	⅛	18" x 18⅜" x 36½"	120V, .09KW, 1.8A	90 lbs.	$ 550
CTR3.75	3.8	32°F - 45°F	⅛	18¾" x 18" x 33¼"	120V, .09KW, 2A	85 lbs.	600

Electrical: Line cord included, Nema plug 5-15P. **Refrigerant:** R-134a. **Number of shelves:** CTR2.68LD = 4 shelves, CTR3.75 = 5 shelves, additional shelves are available. **Finish:** Black. **Options:** Custom display graphics available for CTR2.68LD at additional charge, please contact Cecilware's marketing department for more information. **Note:** CTR2.68LD includes lighted exterior merchandising display, both models include interior lights & door lock.

OJ100

Orange Juice Machine Features:

- **Automatic Feeders** – Oranges are automatically fed into the machine.
- **Efficient Squeezing Technology** – Offers the greatest yield of juice / orange.
- **Compact** – Requires minimum counter or floor space.
- **Easy Dismounting For Cleaning** – No Tools Required.
- **Safety Cut-out Double Detector** – Insures that the machine will stop working once the door opens.
- **Large Peel Bucket.**
- **User Friendly.**
- **All Machines Accommodate The Following Count Size:** #100, 113, 125, 138.

OJ100 Processes 14 Oranges per minute

- **Feeder Capacity:** 6 oranges
- **Flow Rate:** 24 oz. - 45 oz. per minute
- **Can Process Lemons***
- **Maximum Cup Clearance:** 6⅝"
- **Smallest Footprint:** 18½" wide

OJ200

OJ200/OJ200D/OJ250/OJ250D Processes 22 Oranges per minute

- **Hopper Capacity:** 18 lbs. of oranges
- **Flow Rate:** 34 oz. - 66 oz. per minute
- **Can Process Lemons****
- **Maximum Cup Clearance:** 6⅝"
- **250D** - Comes with a stainless steel floor stand

OJ32/OJ32D Processes 32 Oranges per minute

- **Hopper Capacity:** 33 lbs. of oranges
- **Flow Rate:** 48 oz. - 96 oz. per minute
- **Maximum Cup Clearance:** 6"
- **Can Process Lemons *** (140 or 165 count only)

OJFRESH

OJ38/OJ38D/OJFRESH Processes 38 Oranges per minute or a 40 lb. case in under 2½ min.

- **Hopper Capacity:** 33 lbs. of oranges
- **Flow Rate:** 57 oz. - 114 oz. per minute
- **Adjustable Cup Clearance:** up to 10⅜"
- **Fills up to ½ gallon containers**
- **Fast Flow Faucet included**
- **Can Process Lemons *** (140 or 165 count only)
- **Large Capacity Garbage Can**
- **Large 2 Gallon Reservoir (OJ38)**
- **Refrigerated Bowl Capacity:** 1½ gallon

Model	Fruit Output / Minute	Feeder Capacity	Dimensions W x D x H	Ship Weight	List Price
		Counter Top Models			
OJ100	14	6 Oranges	18½" x 19" x 34¾"	95 lbs.	$ 8,600
OJ200	22	18 lbs.	21½" x 19" x 33"	117 lbs.	11,000
OJ200D (Digital)	22	18 lbs.	21½" x 19" x 33"	117 lbs.	11,700
OJ32	32	33 lbs.	25" x 22" x 36"	144 lbs.	13,400
OJ32D (Digital)	32	33 lbs.	25" x 22" x 36"	144 lbs.	14,400
		"Super" Floor Model			
OJ250	22	18 lbs.	19¼" x 22¾" x 63"	187 lbs.	13,400
OJ250D (Digital)	22	18 lbs.	19¼" x 22¾" x 63"	187 lbs.	14,500
OJ38	38	33 lbs.	26½" x 27¾" x 69¼"	310 lbs.	16,400
OJ38D (Digital)	38	33 lbs.	26½" x 27¾" x 69¼"	310 lbs.	17,600
OJFRESH	38	33 lbs.	27" x 30" x 73"	365 lbs.	19,300

Refrigerated Model

Electrical: Line cord included, 120V, 60 HZ, single phase. **Fruit Diameter:** 3¼". **OJ38 Reservoir Capacity:** 2 gal. **OJFRESH Refrigerated Bowl Capacity:** 1½ gal.



Juice Machine Accessories

Part	Description	List Price
02294	Lemon Squeezing Kit For OJ100	$ 850
02245	Lemon Squeezing Kit For OJ200/OJ200D/OJ250/OJ250D	850
02244	Lemon Squeezing Kit For OJ32/OJ32D/OJ38/OJ38D/OJFRESH	850

FTC3P with S3C

FTC Series Iced Tea Brewers & Dispensers

Model	Capacity	Dimensions W x D x H	Electrical	Ship Weight	List Price
FTC3 with S3C Dispenser	3 gal.	10¼" x 21½" x 28½"	120V, 1.8KW, 15A	44 lbs.	$ 1,030
FTC5 with S5C Dispenser	5 gal.	11" x 21½" x 34½"	120V, 1.8KW, 15A	57 lbs.	1,160
FTC3P- Pour-Over with S3C Dispenser	3 gal.	9" x 20¼" x 28¾"	120V, 1.8KW, 15A	40 lbs.	950

Plumbing: ¼" Water line required. **Electrical:** Line cord included, NEMA plug 5-15P **Body Construction:** Stainless steel. **Funnel:** All units come standard with plastic brew funnel, add $80.00 list for stainless steel brew funnel. **Filters:** For plastic brew funnel order #412 filters, stainless steel brew funnel order #514 filter.

TB3 B1/3

TB Series Iced Tea Brewers & Dispensers

Model	Capacity	Dimensions W x D x H	Electrical	Ship Weight	List Price
TB3 Brewer with B1/3T	3 gal.	9¼" x 22⅝" x 29½"	120V, 1.8KW, 15A	43 lbs.	$ 1,180
TB5 Brewer with B1/5T	5 gal.	12" x 25⅝" x 29½"	120V, 1.8KW, 15A	50 lbs.	1,350
TB3P Pour-Over Brewer with B1/3T	3 gal.	9¾" x 22⅝" x 29½"	120V, 1.8KW, 15A	43 lbs.	1040
B1/3 Dispenser & Base	3 gal.	9½" x 13¾" x 20"	-	11 lbs.	224
B1/5 Dispenser & Base	5 gal.	12½" x 16¾" x 20"	-	18 lbs.	265
B1/3T Dispenser	3 gal.	9½" x 9½" x 11"	-	6 lbs.	140
B1/5T Dispenser	5 gal.	12½" x 12½" x 11"	-	11 lbs.	190
SU3P Dispenser & Base	3 gal.	9¼" x 9¼" x 18¾"	-	9 lbs.	230
SU5P Dispenser & Base	5 gal.	12" x 12" x 18¾"	-	15 lbs.	290

Plumbing: ¼" Water line required, except TB3P. **Electrical:** Line cord included, NEMA plug 5-15P **Body Construction:** Stainless steel. **Funnel:** All units come standard with plastic brew funnel, add $80.00 list for stainless steel brew funnel. **Filters:** For plastic brew funnel order #412 filters, stainless steel brew funnel order #514 filter.

Graphic Wrap

TB Series Accessories

Part	Description	List Price
NR28A	Graphic wrap for 3 gallon dispenser	$ 40
NR36A	Graphic wrap for 5 gallon dispenser	46

S3 S5 S10

S Series Stainless Steel Iced Tea Dispensers

Model	Capacity	Dimensions Diameter x H	Ship Weight	List Price 1-14	List Price 15+
S2	2 gal.	9¼" diameter x 15"	8 lbs.	$ 148	$ 132
S3	3 gal.	9¼" diameter x 18¾"	9 lbs.	154	138
S3.5	3½ gal.	9¼" diameter x 22¾"	10 lbs.	164	148
S5	5 gal.	9¼" diameter x 24¾"	11 lbs.	182	164
S10	10 gal.	11¾" diameter x 26½"	18 lbs.	290	276

Options: Curved handles, add "C" suffix to model # - No additional charge. **Sight Glass:** Add "SG" suffix to model # - $30 list price to all models, except S10 - $60 list price. 7" faucet clearance standard, 9" faucet clearance is standard on S10.

T1W

T1 Series Plastic Iced Tea Dispenser

Model	Capacity	Dimensions W x D x H	Ship Weight	List Price 1-14	List Price 15+
T1W	3 gal.	12½" x 9" x 16"	7 lbs.	$ 76	$ 70

Body Construction: Plastic. Includes no-drip faucet.

TT1

Liquid Tea Concentrate Dispensers Features:

- **Accepts Jugs Or Bag-In-The-Box Product*** – Remote bag-in-the-box can be placed up to 6 feet away.
- **Mixes Water To Concentrate Using Industry Standard Ratios.** 5:1 standard, will handle up to 11:1 depending on product. Other ratios are available, inquire at factory.
- **No Electricity Required** – Water pressure of 30psi min. and ¼" water line necessary at planned location.
- **The Dispenser Top Compartment Can Accommodate Up To Four ½ Gallon Jugs In TT1 & TT2 Models Or Up To Six ½ Gallon Jugs In TT3 & TT4 Models.**
- **The Product To Water Ratio Is Kept Consistent By The Built-In Pressure Regulator.**
- **Rear Shut-Off Valve** – For easy cleaning.
- **Drip Trays & Molded Plastic Lid Included.**
- **Siphon Venturi System.**

TT2

Liquid Tea Concentrate Dispensers

Model	Description	# of Taps	Capacity	Dimensions W x D x H	Ship Weight	List Price
TT1	One Flavor Tea Dispenser	1	(4) ½ gal. Jugs*	10" x 18⅜" x 24½"	22 lbs.	$ 550
TT2	Two Flavor Tea Dispenser	2	(4) ½ gal. Jugs*	10" x 18⅜" x 24½"	24 lbs.	770
TT3	Three Flavor Tea Dispenser	3	(6) ½ gal. Jugs*	18" x 15½" x 24½"	28 lbs.	1,150
TT4	Four Flavor Tea Dispenser	4	(6) ½ gal. Jugs*	18" x 15½" x 24½"	30 lbs.	1,480

Plumbing: ¼" 30 psi water line required. **Faucet Clearance:** 7¾" all models. **Options:** 6 foot hose part# MA94A. Four color label standard, full graphic wrap available at additional charge please contact Cecilware marketing for more information. *Can be adapted to remote Bag-In-The-Box, inquire at factory.

TT3

TT3 Top View (Cover Removed)



TT3 Bottom View



TT4

Introducing Web Ordering

Coming Soon to www.cecilware.com

- Order Parts & Equipment
- Check Status of Orders
- Track Shipments

Cecilware 2009 Tradeshows

Refer to www.cecilware.com for up to date information.

United States

NAFEM
Orange County Convention Center, Orlando, FL
February 5 - 7, 2009

SCAA
Georgia World Convention Center, Atlanta, GA
April 16 - 19, 2009

NRA
McCormick Place, Chicago, IL
May 16 - 19, 2009

Western Food Service & Hospitality Expo
San Diego Convention Center, San Diego, CA
August 30 - September 1, 2009

NACS
Las Vegas Convention Center, Las Vegas, NV
October 20 - 23, 2009

International Hotel/Motel & Rest. Show
Jacob Javits Center, NY, NY
November 7 - 10, 2009

Canada

B.C. Foodservice Expo
BC Place, Vancouver, BC
January 25 - 26, 2009

Convenience U Carwacs Show
Toronto Congress Centre, Toronto, ON
March 10 - 11, 2009

APEX
Exhibition Park, Halifax, NS
April 5 - 6, 2009

Convenience U Carwacs Show
Telus Convention Centre, Calgary, AB
May 12 - 13, 2009

Alberta Foodservice Show
Northlands AgriCom, Edmonton, AB
September 28 - 29, 2009

This price list supersedes all previous issues. Terms: Net cash 30 days, 1% discount for payment in 10 days. All shipments F.O.B. factory of manufacture. No goods can be returned for credit without our written consent and may be subject to a 15% re-stocking charge. Type of Gas or Electrical Current must be specified with order. **Minimum order is $40 list price.** The specifications (including dimensions, weights and capacities) are approximate and were in effect at the time of printing. Cecilware reserves the right to discontinue models and change specifications or designs at any time without notice and without incurring obligation. **Prices are subject to change without prior notice.**

CECILWARE CORPORATION
MANUFACTURER'S LIMITED WARRANTY
Equipment Installed in the U.S.A.

Cecilware warrants to the original purchaser-user that its equipment, as originally supplied, is free from defects in materials and workmanship and will perform adequately under normal use and service, subject to the following conditions and limits:

If the equipment or any part or parts thereof prove to be defective in normal use, then such item or parts will be repaired or replaced at the option of Cecilware, provided that notice of such defect is given by original purchaser-user to Cecilware within one (1) year from the date of original installation of the equipment.

This warranty is made on the condition that such original purchaser-user has returned to Cecilware the warranty registration form applicable to the equipment, duly and fully completed, within thirty (30) days of the date of purchase by the original purchaser-user, but not to exceed eighteen (18) months from date of shipment from factory.

Cecilware's obligation under this warranty is limited exclusively to replacing without charge, or to repairing, at Cecilware's option, upon return to Long Island City, New York, transportation charges prepaid, any part or parts that shall be found to be defective in material or workmanship during the warranty period. Charges for labor are covered for ninety (90) days from date of installation providing an authorized Service Agent of Cecilware is used within a 50 mile radius of the location. If service can not be provided within 50 miles of the location, Cecilware has the option to authorize further travel expenses or replacement of the equipment. All decisions in this matter will be Cecilwares and shall be final and binding between both parties. If upon inspection by Cecilware or its Authorized Service Representative, it is determined that the equipment has not been used in an appropriate manner, as described in the Cecilware Operator's Manual, or has been subject to misuse, alteration, accident damage during transit or delivery, or that such part is from a machine on which the serial number has been altered or removed, then this warranty is void and of no further force or effect. All decisions regarding the existence of defects in material or workmanship or other causes shall be made by Cecilware and shall be final and binding upon the parties. **Returns shall only be made upon the prior written authorization by Cecilware.** Every Cecilware Coffee Urn Body and Stainless Steel Liner is covered against manufacturing or material defects for 3 years. **This warranty does not apply to rubber and non-metallic synthetic parts where usage, wear or lack of preventive maintenance may create abnormal replacement rates, and these parts are excluded from this limited warranty. Also, light bulbs are not covered. This warranty does not apply under the following conditions: Neglect or abuse of equipment; improper installation; adjustments or calibrations; any outside modification to equipment; excessive lime condition, etc. All parts used in connection with equipment repairs must be an OEM part from Cecilware. Warranty will be considered void if OEM parts not used.**

Portable Equipment, such as Dispensers, Plug-In Urns, Coffee Brewers, Warmers and Cold Beverage Dispensers must be returned to the factory or brought to an authorized service agency for repair unless authorized by Cecilware Service Department.

In addition to the above warranty, the original purchaser-user may also purchase at an additional charge a separate supplemental compressor limited warranty providing an additional four (4) year exchange program for the motor compressor part of this equipment if the equipment is installed and placed in use exclusively within the U.S.A.

THE FOREGOING LIMITED WARRANTY IS EXPRESSLY MADE IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

The foregoing limited warranty shall not be enlarged or affected by, and no liability or obligation shall arise from, Cecilware rendering of technical or other advice, or service, in connection with any of its equipment or parts. Employees, agents, distributors, retailers, and sales representatives are not authorized to make warranties. Oral or written statements made by them do not constitute warranties and shall not be relied upon. Specifications subject to change without prior notice.

REPLACEMENTS OR REPAIR OF DEFECTIVE EQUIPMENT OR PARTS AS PROVIDED ABOVE IS THE ORIGINAL PURCHASER-USER'S SOLE AND EXCLUSIVE REMEDY FOR CONTRACT, WARRANTY, NEGLIGENCE, TORT OR STRICT LIABILITY CLAIMS FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OR ALLEGED TO ARISE OUT OF THE DESIGN MANUFACTURE, SALE, DELIVERY OR USE OF SUCH EQUIPMENT AND/OR PARTS. IN NO EVENT SHALL CECILWARE BE LIABLE FOR ANY AMOUNT IN EXCESS OF THE PURCHASE PRICE OF THE EQUIPMENT, OR FOR LOSS OF USE OR PROFITS, BUSINESS INTERRUPTION, ATTORNEY'S FEES, OR CONSEQUENTIAL, CONTINGENT, INCIDENTAL OR SPECIAL DAMAGES CAUSED OR ALLEGED TO BE CAUSED IN WHOLE OR IN PART BY THE NEGLIGENCE, TORT, STRICT LIABILITY, BREACH OF CONTRACT, BREACH OF WARRANTY, OR OTHER BREACH OF DUTY OF OR BY CECILWARE.

Beverage Equipment Index

New Product Introductions For 2009

Product	Page
Budget Cappuccino Dispensers	4
Countertop Display Refrigerators	22
Hot Cappuccino Dispensers	3
Iced Cappuccino Dispensers	4
Liquid Coffee Dispenser	17
Liquid Tea Concentrate Dispensers	25
Venezia II Espresso Equipment	18

Beverage Equipment

Product	Page
Airpot Coffee Brewers	15
Arctic Cold Beverage Dispensers	21
Chinese Hot Tea Urns	9
Coffee Brewers	10-12
Coffee Carriers	14
Coffee Urns	7-8
Coffee Warmers	16
Coffee/Cappuccino Dispensers	5
Frozen Drink Dispensers: MT Models	20
Frozen Drink Dispensers: NHT Models	19
Ground Coffee Dispensers	16
Hot Cappuccino Dispensers	3-4
Hot Chocolate Dispensers	6
Iced Tea Brewers & Dispensers	24
Orange Juice Machines	23
Paper Coffee Filters	17
RTS2 Ready To Serve Dispenser	22
Satellite Coffee Brew Centers	13-14
Soluble Coffee Dispensers	5
Venezia Espresso Equipment	18
Water Boilers	9

Additional Information

Tradeshow Schedule	26
Warranty Information	27
Web Ordering	26

National Account Managers

A Michael Belardo
Region: CT, DC, DE, E. PA, MA, MD, ME, NH, RI, S. NJ, VT
Tel: 917-273-7579
Email: michael.belardo@cecilware.com

B Bryan Johnson
Region: IN, KY, MI, MN, N. IL, ND, OH, SD, WI, WV
Tel: 513-460-4594
Email: bryan.johnson@cecilware.com

C Gerry Roslund
Region: AL, E. TN, FL, GA
Tel: 386-986-8213
Email: gerry.roslund@cecilware.com

D Steven Siever
Region: AR, AZ, CO, ID, LA, MS, MT, N. CA, N. NV, NM, OK, OR, TX, UT, W. TN, WA, WY
Tel: 281-330-5487
Email: steven.siever@cecilware.com

E Paul Kahn
VP of National Accounts
Region: National, AK, HI
Tel: 800-935-2211 ext. 3223
Email: paul.kahn@cecilware.com

Representatives

1 Clements-Stella Marketing
Region: Long Island, NY Metro, Westchester
Tel: 631-758-5316 Fax: 631-758-5947
Email: tmc53@optonline.net
Region: Northern New Jersey
Tel: 201-767-5710 Fax: 201-767-5730
Email: csm91@optonline.net

2 A. R. I. Group
Region: IA, KS, MO, NE, S. IL
Tel: 636-537-8550 Fax: 636-537-3078
Email: dspener@aol.com

3 Fredco
Region: S. CA, S. NV
Ron Rubinstein
Harvey Wolsky
Tel: 949-788-7788 Fax: 949-788-9222
Email: office@fredcoreps.com

4 Pro-Reps
Region: NC, SC, VA
Tel: 252-521-1827 Fax: 919-330-4337
Email: rick@pro-reps.com

5 Jim Law & Associates
Region: Upstate NY, W. PA
Tel: 518-527-4588 Fax: 585-247-8145
Email: joe@gojimlaw.com

CANADA SALES Specialty Beverage Solutions
Tel: 403-880-2900 Fax: 403-770-9790
Email: sales@sbsolutions.ca

INTERNATIONAL SALES HD Sheldon
Tel: 212-924-6920 Fax: 212-627-1759
Email: rmetros@hdsheldon.com

Cecilware Corporation 43-05 20th. Avenue, LIC NY 11105
Tel: 800.935.2211 / 718.932.1414 • Fax: 718.932.7860

CECILWARE®
Since 1911
www.cecilware.com